


---

## ADDENDUM NO. 2

THIS ADDENDUM FORMS A PART OF THE CONTRACT DOCUMENTS AND HEREBY MODIFIES THE ORIGINAL CONSTRUCTION DOCUMENTS DATED JANUARY 21, 2021 RESPECTIVELY.

NAME OF COMPANY

BY



### PRE-BID MEETING

**Item #1      PRE-BID MEETING NOTES**

ADD: the attached pre-bid meeting notes dated February 3, 2021.

### PROJECT MANUAL

**Item #2      SECTION 001113 – ADVERTISEMENT FOR BIDS**

CHANGE: “The Lauderdale County Board of Supervisors will receive sealed competitive bids at the office of Lauderdale County Administrator, Chris Lafferty, 410 Constitution Avenue, 11<sup>th</sup> Floor, Meridian MS. 39301 ~~until 10:00 a.m. CST on February 19, 2021~~ for the following:” to “The Lauderdale County Board of Supervisors will receive sealed competitive bids at the office of Lauderdale County Administrator, Chris Lafferty, 410 Constitution Avenue, 11<sup>th</sup> Floor, Meridian MS. 39301 until 10:00 a.m. CST on February 25, 2021 for the following:”

CLARIFICATION: **The bid date for this project has been rescheduled.**

**Item #3      INDEX**

DELETE: SECTION 016000 PRODUCT REQUIREMENTS.

**Item #4      SECTION 011001 – BID PACKAGE SUMMARY**

REPLACE: section 011001 dated January 21, 2021 with the attached revised section 011001 dated February 17, 2021.

**Item #5      SECTION 015000 – TEMPORARY FACILITIES AND CONTROLS**

REPLACE: section 015000 dated January 21, 2021 with the attached revised section 015000 dated February 17, 2021.

---

**Item #6 SECTION 017300 – EXECUTION**

REPLACE: section 017300 dated January 21, 2021 with the attached revised section 017300 dated February 17, 2021.

**Item #7 SECTION 017419 – CONSTRUCTION WASTE MANAGEMENT AND DISPOSAL**

REPLACE: section 017419 dated January 21, 2021 with the attached revised section 017419 dated February 17, 2021.

**Item #8 APPENDIX (OWNER PROVIDED DOCUMENTS)**

ADD: The attached Logistics Layout dated February 17, 2021.

**DRAWINGS**

**Item #9 D101 – DEMOLITION FLOOR PLAN**

CHANGE: Exterior hollow metal doors noted to be demolished shall remain. Plywood secure covering will not be required at these existing locations. All exterior storefront scheduled to be demolished shall still be removed.

**Item #10 D102 – DEMOLITION ROOF PLAN**

REPLACE: sheet D102 dated January 21, 2021 with the attached revised sheet D102 dated February 17, 2021.

END OF ADDENDUM NO. 2

February 3, 2021

**Lauderdale County  
Public Safety Building Selective Demolition  
19-4894C**

**Pre-Bid Conference – Minutes**

**AGENDA**

**1. Introductions**

**2. Registration of Attendees**

- a. Attendees will verbally announce themselves for LPK to record.
- b. Notes from today's conference will be included in Addendum No. 2 to all registered plan holders.

**3. Owner's Comments**

**4. Construction Management Comments (Justin McDonald)**

- a. There will be multiple future bid packages for the site, government complex, etc.
- b. Generic information in the front end specifications is to be cleared up in a future addendum.
- c. There may be a possibility of slight overlap of working with additional prime contractors on the other bid packages.

**5. Abatement Comments (Trey Hess)**

- a. The Owner is to approve the air monitoring company, must be MDEQ certified.
- b. There is approximately 4'-0" of overspray on the beam fireproofing.
- c. The contractor is responsible for following asbestos containment requirements as specified.
- d. Refer to the asbestos report for all areas identified to contain ACM.
- e. The health, safety, and welfare of all persons on the jobsite is the responsibility of the Contractor.

**6. Project Overview & Bid Information**

- a. Description of project: The project consists of selective demolition and abatement per the construction documents
- b. Bid date: The Lauderdale County Board of Supervisors will receive sealed competitive bids at the office of Lauderdale County Administrator, Chris

Lafferty, 410 Constitution Avenue, 11th Floor, Meridian, MS 39301 until  
**10:00 a.m. CST on February 19, 2021**

- c. Completion time is 55 days from Notice to Proceed.
- d. Alternates:
  - ALTERNATE NO. 1 – Provide Builders Risk Insurance as specified in the documents.
- e. Addendum process, timing, and known items: The deadline for submitting questions/clarifications to LPK to be addressed by Addenda is Friday, February 12, 2021 by 10:00 am. All questions must be submitted to the following email address: [cladner@lpkarchitects.com](mailto:cladner@lpkarchitects.com), and [barmstrong@lpkarchitects.com](mailto:barmstrong@lpkarchitects.com)
- f. Known addenda items and other clarifications.

## **7. Open Discussion**

- a. The base bid is to include both demolition and abatement.
- b. The CMU and concrete portion of the existing mezzanine is to remain.
- c. All wood framing to be removed.
- d. Freon recovery is required for demolition and removal of the HVAC system.
- e. Contractor is to waterproof all roof penetrations.
- f. Security of the jobsite is the responsibility of the Contractor.
- g. It is the Contractor's discretion of when to turn the power off to the building to remove the existing electrical. Temporary lighting and logistics are within the Contractor's scope of work.
- h. Utility use costs are to be paid by the county, unless the Contractor requires a jobsite trailer, the trailer will be required to have its own panel and power. All costs associated with such is the responsibility of the Contractor.
- i. The scheduling and coordination of utility demolition is the Contractor's responsibility.
- j. Any demolition salvage is the property of the Contractor.





---

SECTION 011001 – BID PACKAGE SUMMARY

PART 1- GENERAL

1.01 SUMMARY

**A. WORK EXECUTED IN THE CONTRACT**

1. The Scope of Work included herein will be required of the selected Bidder. This information is complementary with the requirements of the other bid documents. The Scope of Work identified herein will become part of the Agreement between the Contractor and the Owner. The Scope of Work listed below shall include all labor, materials, equipment, supervision, insurance, payment and performance bonds, applicable taxes and all other work in accordance with the contract documents.
2. Contractor will be responsible their own Construction Facilities and Temporary Controls except as specifically identified in the plans, specifications, and logistics plan.
3. The Contractor shall cooperate fully with Owner forces or separate contractors so work on those contracts may be carried out smoothly, without interfering with or delaying work under this Contract.
4. All work shall be closely coordinated with Architect and the Construction Manager to prevent impacts to the existing facility operations.
5. All Contractor Project Supervision shall be approved by the Owner, Architect, and the Construction Manager.
6. Each Prime Contractor will be required to provide necessary resources for continuous cleanup. Should the Contractor not maintain a clean jobsite, the project clean up can be supplemented after 48 hours' notice and be back charged to the Contractor.
7. All Contractors will be required to coordinate with the Owners representatives and make provisions to maintain vehicle and personnel egress for the building and site, maintain clear access for emergency personnel, maintain fire protection or fire watch on the Public safety building as required by the builders risk insurance and/or property insurance carriers.

**B. OWNER PROVIDED**

1. Storm Water Permit, (if required). Early Site Development Contractor is to take ownership of the permit, maintenance, and all other relative work necessary per local, state, and federal guidelines for environmental protection.
2. Soil Borings and Geo-Tech Report
3. Testing Agency Services
4. Environmental Report, including Asbestos Abatement requirements.
5. Power, Water and Sewer consumption costs will be provided by Owner at not cost to the Project. Bid Package Contractors will be responsible for all temporary facility and controls as required for their work.
6. Project Identification for temporary operational purposes. Safety and construction signage will remain the responsibility of the contractor.
7. The Owner reserves the right to award contracts to multiple contractors for the project. The Contractor and its subcontractors shall coordinate and cooperate fully as required by the Owner.

**C. SELECTIVE DEMOLITION BID PACKAGE**

1. All Drawings, Specifications, and scope not identified by Owner provided above are included in the Selective Demolition Bid Package.

END OF SECTION CM011001

---

SECTION 015000 - TEMPORARY FACILITIES AND CONTROLS

PART 1 - GENERAL

1.1 SUMMARY

- A. Section includes requirements for temporary utilities, support facilities, and security and protection facilities.
  - 1. All temporary facilities and measures shall be coordinated with the Construction Manager and identified on the Master Logistics plan.

1.2 USE CHARGES

- A. General: Installation and removal of and use charges for temporary facilities shall be included in the Contract Sum unless otherwise indicated. Allow other entities to use temporary services and facilities without cost, including, but not limited to, Owner's construction forces, Architect, testing agencies, and authorities having jurisdiction.

1.3 INFORMATIONAL SUBMITTALS

- A. Site Plan: Show temporary facilities, utility hookups, staging areas, and parking areas for construction personnel.
- B. Erosion- and Sedimentation-Control Plan: Show compliance with requirements of EPA Construction General Permit or authorities having jurisdiction, whichever is more stringent.
- C. Fire-Safety Program: Show compliance with requirements of NFPA 241 and authorities having jurisdiction. Indicate Contractor personnel responsible for management of fire prevention program.

1.4 QUALITY ASSURANCE

- A. Electric Service: Comply with NECA, NEMA, and UL standards and regulations for temporary electric service. Install service to comply with NFPA 70.
- B. Tests and Inspections: Arrange for authorities having jurisdiction to test and inspect each temporary utility before use. Obtain required certifications and permits.
- C. Accessible Temporary Egress: Comply with applicable provisions in the U.S. Architectural & Transportation Barriers Compliance Board's ADA-ABA Accessibility Guidelines and ICC/ANSI A117.1.

---

1.5 PROJECT CONDITIONS

- A. INTENTIONAL LEFT BLANK.

PART 2 - PRODUCTS

2.1 MATERIALS

2.2 TEMPORARY FACILITIES

- A. Field Offices, General: Prefabricated or mobile units with serviceable finishes, temperature controls, and foundations adequate for normal loading may be provided at the Contractor's discretion.
- B. Storage and Fabrication Sheds: Provide sheds sized, furnished, and equipped to accommodate materials and equipment for construction operations.
- C. The Owner shall pay for the reasonable usage cost of power, water, sewer, and gas that are active on the building, or being installed as part of this project. The Selective Demolition Contractor shall only be responsible for temporary utility use charges relative to their temporary facilities above and beyond what is shown in the project(Examples: office trailer, new hose bib on site, etc.)

2.3 EQUIPMENT

- A. Fire Extinguishers: Portable, UL rated; with class and extinguishing agent as required by locations and classes of fire exposures and OSHA requirements.

PART 3 - EXECUTION

3.1 INSTALLATION, GENERAL

- A. Locate facilities where they will serve Project adequately and result in minimum interference with performance of the Work. Relocate and modify facilities as required by progress of the Work.
1. Locate facilities to limit site disturbance as specified in Section 011000 "Summary."
- B. Provide each facility ready for use when needed to avoid delay. Do not remove until facilities are no longer needed or are replaced by authorized use of completed permanent facilities. Temporary lighting shall remain in place after completion of this package.

3.2 TEMPORARY UTILITY INSTALLATION

- 
- A. General: Install temporary service or connect to existing service as shown or described in the documents.
    - 1. Arrange with utility company, Owner, and existing users for time when service can be interrupted, if necessary, to make connections for temporary services.
  - B. Sewers and Drainage: Provide temporary utilities to remove effluent lawfully.
    - 1. Connect temporary sewers to municipal system as directed by authorities having jurisdiction.
  - C. Water Service: Install water service and distribution piping in sizes and pressures adequate for construction.
  - D. Sanitary Facilities: Provide temporary toilets, wash facilities, and drinking water for use of construction personnel. Comply with requirements of authorities having jurisdiction for type, number, location, operation, and maintenance of fixtures and facilities.
  - E. Heating and Cooling: Provide temporary heating and cooling required by construction activities for curing or drying of completed installations or for protecting installed construction from adverse effects of low temperatures or high humidity. Select equipment that will not have a harmful effect on completed installations or elements being installed.
  - F. Ventilation and Humidity Control: Provide temporary ventilation required by construction activities for curing or drying of completed installations or for protecting installed construction from adverse effects of high humidity. Select equipment that will not have a harmful effect on completed installations or elements being installed. Coordinate ventilation requirements to produce ambient condition required and minimize energy consumption.
  - G. Electric Power Service: Provide electric power service and distribution system of sufficient size, capacity, and power characteristics required for construction operations.
    - 1. Install electric power service per utility requirements unless otherwise indicated.
    - 2. Connect temporary service to Owner's existing power source, as directed by Owner.
  - H. Lighting: Provide temporary lighting with local switching that provides adequate illumination for construction operations, observations, inspections, and traffic conditions.
    - 1. Install and operate temporary lighting that fulfills security and protection requirements without operating entire system. Temporary lighting shall remain in place after completion of the package.
  - I. Telephone Service: At the discretion of the contractor.
- 3.3 SUPPORT FACILITIES INSTALLATION
- A. Temporary Roads and Paved Areas: Construct and maintain temporary roads and paved areas adequate for construction operations. Locate temporary roads and paved areas within construction limits indicated on Drawings.

- 
1. Provide dust-control treatment that is nonpolluting and nontracking. Reapply treatment as required to minimize dust.
  - B. Temporary Use of Permanent Roads and Paved Areas: Locate temporary roads and paved areas in same location as permanent roads and paved areas. Construct and maintain temporary roads and paved areas adequate for construction operations. Extend temporary roads and paved areas, within construction limits indicated, as necessary for construction operations.
  - C. Traffic Controls: Comply with requirements of authorities having jurisdiction.
    1. Protect existing site improvements to remain including curbs, pavement, and utilities.
    2. Maintain access for fire-fighting equipment and access to fire hydrants.
  - D. Parking: Provide temporary parking for construction personnel.
  - E. Dewatering Facilities and Drains: Comply with requirements of authorities having jurisdiction. Maintain Project site, excavations, and construction free of water.
    1. Dispose of rainwater in a lawful manner that will not result in flooding Project or adjoining properties or endanger permanent Work or temporary facilities.
    2. Remove snow and ice as required to minimize accumulations.
  - F. Project Signs: Provide Project signs as indicated.
    1. Temporary Signs: Provide other signs as indicated and as required to inform public and individuals seeking entrance to Project.
      - a. Provide temporary, directional signs for construction personnel and visitors.
    2. Maintain and touchup signs so they are legible at all times.
  - G. Waste Disposal Facilities: Comply with requirements specified in Section 017419 "Construction Waste Management and Disposal."
  - H. Waste Disposal Facilities: Provide waste-collection containers in sizes adequate to handle waste from construction operations. Comply with requirements of authorities having jurisdiction. Comply with progress cleaning requirements in Section 017300 "Execution."
  - I. Lifts and Hoists: Provide facilities necessary for hoisting materials and personnel.
    1. Truck cranes and similar devices used for hoisting materials are considered "tools and equipment" and not temporary facilities.
  - J. Temporary Stairs: Until permanent stairs are available, provide temporary stairs where ladders are not adequate.
  - K. Temporary Use of Permanent Stairs: Use of new stairs for construction traffic will be permitted, provided stairs are protected and finishes restored to new condition at time of Substantial Completion.

---

3.4 SECURITY AND PROTECTION FACILITIES INSTALLATION

- A. Protection of Existing Facilities: Protect existing vegetation, equipment, structures, utilities, and other improvements at Project site and on adjacent properties, except those indicated to be removed or altered. Repair damage to existing facilities.
- B. Environmental Protection: Provide protection, operate temporary facilities, and conduct construction as required to comply with environmental regulations and that minimize possible air, waterway, and subsoil contamination or pollution or other undesirable effects.
- C. Temporary Erosion and Sedimentation Control: Provide measures to prevent soil erosion and discharge of soil-bearing water runoff and airborne dust to undisturbed areas and to adjacent properties and walkways, according to requirements of 2003 EPA Construction General Permit or authorities having jurisdiction, whichever is more stringent.
- D. Stormwater Control: Comply with requirements of authorities having jurisdiction. Provide barriers in and around excavations and subgrade construction to prevent flooding by runoff of stormwater from heavy rains.
- E. Tree and Plant Protection: Install temporary fencing located as indicated or outside the drip line of trees to protect vegetation from damage from construction operations. Protect tree root systems from damage, flooding, and erosion.
- F. Pest Control: Engage pest-control service to recommend practices to minimize attraction and harboring of rodents, roaches, and other pests and to perform extermination and control procedures at regular intervals so Project will be free of pests and their residues at Substantial Completion. Perform control operations lawfully, using environmentally safe materials.
- G. Site Enclosure Fence: Maintain existing enclosure as required.
- H. Temporary Enclosures for Security and Weather protection: Install temporary enclosures around all openings in the building exterior for protection of construction, in progress and completed, from exposure to foul weather. Provide lockable entrances to prevent unauthorized entrance, vandalism, theft, and similar violations of security. Lock entrances at end of each work day. Measures shall be left in place at the completion of this package for security use by the owner.
- I. Barricades, Warning Signs, and Lights: Comply with requirements of authorities having jurisdiction for erecting structurally adequate barricades, including warning signs and lighting.
- J. Temporary Egress: Maintain temporary egress from existing occupied facilities as indicated and as required by authorities having jurisdiction.
- K. Temporary Fire Protection: Install and maintain temporary fire-protection facilities of types needed to protect against reasonably predictable and controllable fire losses. Comply with NFPA 241; manage fire prevention program.
  - 1. Prohibit smoking in construction areas.

2. Supervise welding operations, combustion-type temporary heating units, and similar sources of fire ignition according to requirements of authorities having jurisdiction.
3. Develop and supervise an overall fire-prevention and -protection program for personnel at Project site. Review needs with local fire department and establish procedures to be followed. Instruct personnel in methods and procedures. Post warnings and information.
4. Provide temporary standpipes and hoses for fire protection. Hang hoses with a warning sign stating that hoses are for fire-protection purposes only and are not to be removed. Match hose size with outlet size and equip with suitable nozzles.

END OF SECTION 015000

---

SECTION 017300 - EXECUTION

PART 1 - GENERAL

1.1 SUMMARY

- A. Section includes general administrative and procedural requirements governing execution of the Work including, but not limited to, the following:

1.2 QUALITY ASSURANCE

- A. Cutting and Patching: Comply with requirements for and limitations on cutting and patching of construction elements.
  - 1. Structural Elements: When cutting and patching structural elements, notify Architect of locations and details of cutting and await directions from Architect before proceeding.
  - 2. Shore, brace, and support structural element during cutting and patching. Do not cut and patch structural elements in a manner that could change their load-carrying capacity or increase deflection
  - 3. Operational Elements: Do not cut and patch operating elements and related components in a manner that results in reducing their capacity to perform as intended or that results in increased maintenance or decreased operational life or safety.
  - 4. Other Construction Elements: Do not cut and patch other construction elements or components in a manner that could change their load-carrying capacity, that results in reducing their capacity to perform as intended, or that results in increased maintenance or decreased operational life or safety.
  - 5. Visual Elements: Do not cut and patch construction in a manner that results in visual evidence of cutting and patching. Do not cut and patch exposed construction in a manner that would, in Architect's opinion, reduce the building's aesthetic qualities. Remove and replace construction that has been cut and patched in a visually unsatisfactory manner.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Existing Conditions: The existence and location of underground and other utilities and construction indicated as existing are not guaranteed. Before beginning sitework, investigate and verify the existence and location of underground utilities, mechanical and electrical systems, and other construction affecting the Work.

1. Before construction, verify the location and invert elevation at points of connection of sanitary sewer, storm sewer, and water-service piping; underground electrical services, and other utilities.
  2. Furnish location data for work related to Project that must be performed by public utilities serving Project site.
- B. Examination and Acceptance of Conditions: Before proceeding with each component of the Work, examine substrates, areas, and conditions, with Installer or Applicator present where indicated, for compliance with requirements for installation tolerances and other conditions affecting performance. Record observations.
1. Examine roughing-in for mechanical and electrical systems to verify actual locations of connections before equipment and fixture installation.
  2. Examine walls, floors, and roofs for suitable conditions where products and systems are to be installed.
  3. Verify compatibility with and suitability of substrates, including compatibility with existing finishes or primers.
- C. Proceed with installation only after unsatisfactory conditions have been corrected. Proceeding with the Work indicates acceptance of surfaces and conditions.

### 3.2 PREPARATION

- A. Existing Utility Information: Furnish information to local utility that is necessary to adjust, move, or relocate existing utility structures, utility poles, lines, services, or other utility appurtenances located in or affected by construction. Coordinate with authorities having jurisdiction.
- B. Field Measurements: Take field measurements as required to fit the Work properly. Recheck measurements before installing each product. Where portions of the Work are indicated to fit to other construction, verify dimensions of other construction by field measurements before fabrication. Coordinate fabrication schedule with construction progress to avoid delaying the Work.
- C. Space Requirements: Verify space requirements and dimensions of items shown diagrammatically on Drawings.
- D. Review of Contract Documents and Field Conditions: Immediately on discovery of the need for clarification of the Contract Documents caused by differing field conditions outside the control of Contractor, submit a request for information to Architect according to requirements in Section 013100 "Project Management and Coordination."

### 3.3 CUTTING AND PATCHING

- A. Cutting and Patching, General: Employ skilled workers to perform cutting and patching. Proceed with cutting and patching at the earliest feasible time, and complete without delay.

- 
1. Cut in-place construction to provide for installation of other components or performance of other construction, and subsequently patch as required to restore surfaces to their original condition.
  - B. Existing Warranties: Remove, replace, patch, and repair materials and surfaces cut or damaged during installation or cutting and patching operations, by methods and with materials so as not to void existing warranties.
  - C. Temporary Support: Provide temporary support of work to be cut.
  - D. Protection: Protect in-place construction during cutting and patching to prevent damage. Provide protection from adverse weather conditions for portions of Project that might be exposed during cutting and patching operations.
  - E. Cutting: Cut in-place construction by sawing, drilling, breaking, chipping, grinding, and similar operations, including excavation, using methods least likely to damage elements retained or adjoining construction. If possible, review proposed procedures with original Installer; comply with original Installer's written recommendations.
    1. In general, use hand or small power tools designed for sawing and grinding, not hammering and chopping. Cut holes and slots neatly to minimum size required, and with minimum disturbance of adjacent surfaces. Temporarily cover openings when not in use.
    2. Finished Surfaces: Cut or drill from the exposed or finished side into concealed surfaces.
    3. Concrete and Masonry: Cut using a cutting machine, such as an abrasive saw or a diamond-core drill.
    4. Excavating and Backfilling: Comply with requirements in applicable Sections where required by cutting and patching operations.
    5. Mechanical and Electrical Services: Cut off pipe or conduit in walls or partitions to be removed. Cap, valve, or plug and seal remaining portion of pipe or conduit to prevent entrance of moisture or other foreign matter after cutting.
  4. Patching: Any required patching shall be coordinated with the Architect and Construction Manager before execution to ensure it is coordinated with future Prime Contractors.
    - A. Cleaning: Clean areas and spaces where cutting and patching are performed. Remove paint, mortar, oils, putty, and similar materials from adjacent finished surfaces.
- #### 4.2 PROGRESS CLEANING
- A. General: Clean Project site and work areas daily, including common areas. Enforce requirements strictly. Dispose of materials lawfully.
    1. Comply with requirements in NFPA 241 for removal of combustible waste materials and debris.
    2. Containerize hazardous and unsanitary waste materials separately from other waste. Mark containers appropriately and dispose of legally, according to regulations.
  - B. Site: Maintain Project site free of waste materials and debris.

- 
- C. Work Areas: Clean areas where work is in progress to the level of cleanliness necessary for proper execution of the Work.
    - 1. Remove liquid spills promptly.
    - 2. Where dust would impair proper execution of the Work, broom-clean or vacuum the entire work area, as appropriate.
  - D. Installed Work: Keep installed work clean. Clean installed surfaces according to written instructions of manufacturer or fabricator of product installed, using only cleaning materials specifically recommended. If specific cleaning materials are not recommended, use cleaning materials that are not hazardous to health or property and that will not damage exposed surfaces.
  - E. Concealed Spaces: Remove debris from concealed spaces before enclosing the space.
  - F. Exposed Surfaces in Finished Areas: Clean exposed surfaces and protect as necessary to ensure freedom from damage and deterioration at time of Substantial Completion.
  - G. Waste Disposal: Do not bury or burn waste materials on-site. Do not wash waste materials down sewers or into waterways.
  - H. During handling and installation, clean and protect construction in progress and adjoining materials already in place. Apply protective covering where required to ensure protection from damage or deterioration at Substantial Completion.
  - I. Clean and provide maintenance on completed construction as frequently as necessary through the remainder of the construction period. Adjust and lubricate operable components to ensure operability without damaging effects.
  - J. Limiting Exposures: Supervise construction operations to assure that no part of the construction, completed or in progress, is subject to harmful, dangerous, damaging, or otherwise deleterious exposure during the construction period.

END OF SECTION 017300

---

SECTION 017419 - CONSTRUCTION WASTE MANAGEMENT AND DISPOSAL

PART 1 - GENERAL

1.1 SUMMARY

- A. **ALL HAZARDOUS MATERIALS SHALL BE REMOVED AND DISPOSED OF USING THE GUIDANCE OF APPENDIX A AND ALL REQUIREMENTS OF THIS AGREEMENT AND THOSE OF FEDERAL, STATE, LOCAL, AND ANY OTHER PARTIES HAVING JURISDICTION OVER THE DISPOSAL OF HAZARDOUS MATERIALS.**
- B. Documentation of proper disposal for all Hazardous and Non-Hazardous debris, equipment, waste, etc. shall be provided to the Construction Manager with each monthly Pay Application.
- C. Related Requirements:
  - 1. Section 024119 "Selective Demolition" for disposition of waste resulting from partial demolition of buildings, structures, and site improvements, and for disposition of hazardous waste.

1.2 DEFINITIONS

- A. Construction Waste: Building and site improvement materials and other solid waste resulting from construction, remodeling, renovation, or repair operations. Construction waste includes packaging.
- B. Demolition Waste: Building and site improvement materials resulting from demolition or selective demolition operations.
- C. Disposal: Removal off-site of demolition and construction waste and subsequent sale, recycling, reuse, or deposit in landfill or incinerator acceptable to authorities having jurisdiction.

3.1 DISPOSAL OF WASTE

- A. General: Except for items or materials to be salvaged, recycled, or otherwise reused, remove waste materials from Project site and legally dispose of them in a landfill or incinerator acceptable to authorities having jurisdiction.
  - 1. Except as otherwise specified, do not allow waste materials that are to be disposed of accumulate on-site.
  - 2. Remove and transport debris in a manner that will prevent spillage on adjacent surfaces and areas.
- B. Burning: Do not burn waste materials.
- C. Disposal: Remove waste materials from Owner's property and legally dispose of them.

END OF SECTION 017419

**NO OTHER AREAS OF THE SITE SHALL BE ACCESSED OR USED BY THE CONTRACTORS WITHOUT COORINDATION WITH THE OWNERS REPRESENTATIVES.**

**EXCEPT WHERE OTHERWISE DRAWN OR SPECIFIED, EXISTING ASPHALT PARKING LOTS TO REMAIN IN PLACE AND BE USED BY CONTRACTORS FOR DELIVERIES, LAYDOWN, STORAGE, EMPLOYEE PARKING, AND ANY OTHER REQUIRED ACTIVITIES.**

**PUBLIC SAFETY BUILDING**

**MERIDIAN HOUSING AUTHORITY**

**REWORK EXISTING FENCE/GATES AS INDICATED / REQUIRED**

**FRONT GATE - PRIMARY ACCESS - KEPT LOCKED BY CONTRACTORS WHEN NOT ONSITE**

**MAIN PSB SITE ENTRANCE REMOVE/RELOCATE EXISTING GATES/OPENING AS REQUIRED**

**EXISTING PERIMETER FENCE**

**REAR GATE - SECONDARY ACCESS IF NEEDED.**

**EXISTING PERIMETER FENCE**

**CONTRACTOR TRAFFIC SHALL COME FROM 31ST AVE, ST JOHN ST, AND DONALD AVE**

**DONALD AVENUE**

**E Street**

**NO CONTRACTOR TRAFFIC DOWN E ST FROM 22ND AVENUE**

