



March 30, 2026

Project Name: Clinton Softball Concessions Building

WBA Project Number: 26-010

## **ADDENDUM NO. 04**

### **NOTICE TO ALL DOCUMENT HOLDERS:**

The following additions, deletions, changes and clarifications to the drawings and specifications are to be included as part of the Contract Documents.

### **GENERAL**

ITEM NO. <#> none

### **SPECIFICATIONS**

ITEM NO. <#> Add Section 08 5619 Pass Thru Windows.

### **DRAWINGS**

ITEM NO. <#> none

Encl: 08.5619 - Pass Thru Windows 260330

Cc: All document holders

## Pass Thru Windows

### PART 1 GENERAL

1. GENERAL
  - A. Section Includes:
    1. Operable concession stand pass thru window.
2. SUBMITTALS
  - A. See section 013000 for submittal procedures.
  - B. Submittal to contain sections, elevations, and details of all conditions.
  - C. Warranty Documentation: Submit manufacturer warranty and ensure that forms have been completed in Owner's name and registered with manufacturer.
3. QUALITY ASSURANCE
  - A. Manufacturer Qualifications: Company specializing in manufacturing products specified in this section, with not less than five years of documented experience.
4. WARRANTY
  - A. See Section 017800 – Closeout Submittals, for additional warranty requirement.

### PART 1 PRODUCTS

1. MANUFACTURERS
  - A. Source Limitations: Obtain windows from single source from a single manufacturer where indicated to be of same type, design, or factory-applied color finish.
  - B. Basis of design manufacturer: Quikserv model with fixed upper transom and operable slide lower windows. See drawings for additional information.
    1. Description:
      - a. Service Opening: See drawings
      - b. Shipped fully assembled and ready to install
      - c. Warranty backed by nationwide service centers.
      - d. Units with auto-latch handle lock automatically when closed
      - e. Corrosion resistant materials. Anodized aluminum and #304 finish stainless steel
      - f. ¼" tempered safety glass
      - g. Weather resistant and sealed to protect from the elements.
      - h. Color to be selected from manufacturer's full range.
      - i. ASTM approved
      - j. Right or left hand window slide, see drawings.
      - k. Include 5" Natural Voice Speak Thru System at each transaction location.
2. MATERIALS
  - A. Color and material to be selected by architect from full range.

### PART 1 EXECUTION

1. INSTALLATION
  - A. Install in accordance with manufacturer's instructions.
  - B. Touch up minor abrasions in finishes to be compatible with factory-applied finish coating.

### END OF SECTION